

CASTING SUPPLIES


IMPRESSION FOAM

Impression foam (Casting foam) is perfect for taking impressions of the patient's feet.

Available in bulk(refilling), in folding or non-folding kits.





Folding Kit



Non Folding Kit

Reference	Color	Size (Inches)	Quantity
AC-33225	Pink	2 1/8x6 1/4x13	25 folding kits
AC-33226	Pink	1 3/8x5 1/2x12	50 folding kits
AC-33257N	Natural	2 1/4x6x14	12 folding kits
AC-33248N	Natural	1 7/8x6x13	12 folding kits
AC-33238N	Natural	1 1/2x6x14	12 folding kits
AC-331	Natural	2 1/4x6x14	12 non-folding kits
AC-331B	Blue	2 1/4x6x14	12 non-folding kits
AC-331P	Pink	2 1/4x6x14	12 non-folding kits
AC-333N	Natural	2 1/4x6x14	Bulk, 24 Slabs/case
AC-333P	Pink	2 1/4x6x14	Bulk, 24 Slabs/case
AC-333B	Blue	2 1/4x6x14	Bulk, 24 Slabs/case



FOOT FORCE IMPRINTER

A foot force imprinter is used to produce weight-bearing imprints of the foot, visualizing pressure disbursement and arch shape.

The kit includes the imprint mat, paper, ink and a roller. Replacement accessories may also be purchased individually.



- Ref.: APX-1110 Complete kit
- Ref.: APX-1111 Foot Force Imprinter
- Ref.: APX-1111A Foot Force Imprinter Replacement Mat
- Ref.: APX-1112 Foot Force Imprinter Paper, 100 Pages
- Ref.: APX-1113 Foot Force Imprinter Replacement Roller
- Ref.: APX-1114 Foot Force Imprinter Ink, 1 Fl. oz.

CASTING SUPPLIES

WAX IMPRESSION SHEET

Ref.: NR-6F-WAX-SHT Size: 8" x 15" 1 pair/pack



CASTING GLOVES

Latex Free.

100 UNITS PER BOX	
Reference	Size
GLDELTA-SM	Small
GLDELTA-MD	Medium
GLDELTA-LG	Large
GLDELTA-XL	X-Large

LATEX GLOVES

Low Powder

10 UNITS PER BOX	
Reference	Size
PEL-80005	Small
PEL-80010	Medium
PEL-80015	Large

LATEX GLOVES HEAVIER DUTY

Low powder, non-sterile, disposable.



100 PER BOX	
Reference	Size
GLLATSM	Small
GLLATMD	Medium
GLLATLG	Large

NITRILE GLOVES

Non-Latex. Non-sterile. Disposable. Thin gauge.

Order a larger size as Nitrile gloves run small.

100 PER BOX, COLOR: BLUE		
Reference		
Reference	Color	Size
PEL-80018	Blue	Medium
PEL-80019	Blue	Large
PEL-80020	Blue	X-Large

CASTING SUPPLIES

DELTA-CAST® ELITE FIBREGLASS-FREE CASTING TAPE

Offers strength, rigidity and durability - with the added advantage of being fibreglass-free. Comprised of a polyester substrate with extensible yarns that shape easily to body contours, providing superior moulding for both primary and secondary casting applications.



- Superior lamination.
- Exceptional conformability.
- Improved finish for smoother and softer edges.
- Creates less dust than traditional fibreglass casting products.
- Excellent x-ray translucency.
- Sets in 2-4 minutes.
- Weight bearing in approximately 20-30 minutes.
- Premier packaging with pre-cut finger holes for quick and easy opening.

10 ROLLS PER BOX	
Reference	Dimensions
6712	2" x 4 yards
6713	3" x 4 yards
6714	4" x 4 yards
6715	5" x 4 yards

DELTA-LITE® PLUS FIBREGLASS CAST TAPE

New fibreglass cast tape that combines a fibreglass substrate and advanced water activated polyurethane resin system which provides tack free properties. The tack free properties allow ease of application and moulding using standard examination gloves.



Features and benefits:

- **Very smooth surface** - Less abrasive finished cast enhances patient comfort.
- **Excellent rigid support (immobilisation)** - Creates long-lasting, light weight cast
- **High lamination** - Creates a strong bond between layers ensuring a strong finished cast
- **New resin formulation** - Improves unrolling tension, improving ease of cast application
- **Good conformability** - Makes casting application easier with change of anatomy
- **Outstanding moulding** - Produces an anatomically correct cast

10 ROLLS PER BOX	
Reference(*)	Size
BM-7345800-XX	1" x 2 yards
BM-7345801-XX	2" x 4 yards
BM-7345802-XX	3" x 4 yards
BM-7345803-XX	4" x 4 yards
BM-3745804-XX	5" x 4 yards

DYNACAST® EXTRA

Strong, durable and lightweight fibreglass cast tape. Used in primary and secondary casting applications where rigid immobilization and durability are required.



10 ROLLS PER BOX	
Reference(*)	Size
BM-7136500-XX	5 CM x 3.6 M
BM-7136600-XX	7.5 CM x 3.6 M
BM-7136200-XX	10 CM x 3.6 M
BM-7136300-XX	12.5 CM x 3.6 M

(*) To order, specify the color by replacing XX in the reference by: WH for white, BK for black, LB for light blue, PR for purple, PK for pink, RD for red, BL for blue, GR for green and YE for Yellow. Please note that not all colors are available with all sizes. You need to call to confirm availability when ordering.

CASTING SUPPLIES

DELTA-CAST® CONFORMABLE

A semi-rigid **latex free** elasticated polyester makes it conformable, easy to wrap and shape. This provides a perfect fit around difficult body contours, reducing the need for cutting and shaping. Free of all slip additives to ensure maximum lamination for strong, long lasting, problem free casts. Easy to apply and remove. Set in 3-4 minutes and is weight bearing in approximately 20-30 minutes. It can be easily removed using normal bandage scissors.



- Offers patient comfort - light weight with a smooth finish and softer edges.
- Radiolucent - providing x-ray translucency.
- Less dust - polyester casting tapes produce less dust than fibreglass tapes during removal for a cleaner working environment. Improved durability and patient comfort allows for fewer cast replacements, saving time and money.

10 ROLLS PER BOX	
Reference	Dimensions
6602	2" x 4 yards
6603	3" x 4 yards
6604	4" x 4 yards
6605	5" x 4 yards

DELTA-ROL® CAST PADDING

Made of a synthetic fabric that repels water and dries rapidly. It is easy to wear, Highly conformable and maintains its bulk even when wet. This helps maintain a good, continuous cast fit.

12 ROLLS PER BOX	
Reference	Dimensions
6882	2" x 4 yards
6883	3" x 4 yards
6884	4" x 4 yards
6885	6" x 4 yards



FLASHCAST® ELITE PRINTED FIBERGLASS-FREE CAST TAPE

Add personality and color to casts with the world's only printed casting material. In addition to helping relieve patient anxiety and making casts more enjoyable to wear, the finished cast is strong, lightweight and durable. Patterns are colorfast and will not interfere with radiographic viewing.



10 ROLLS PER BOX		
Reference	Size	Pattern
BM-7227307	7.5 CM x 3.6 M	Pastel Prints
BM-7227305	5 CM x 3.6 M	Teddy Bears
BM-7227302	5 CM x 3.6 M	Dinosaurs
BM-7227308	5 CM x 3.6 M	Soccer Balls
BM-7227309	7.5 CM x 3.6 M	Soccer Balls
BM-7227306	7.5 CM x 3.6 M	Camouflage

CASTING SUPPLIES

DURAFLEX® ELASTIC PLASTER BANDAGES

Super-conformable elastic gauze. It features Duracast formula's low plaster loss and high green strength for secure mold formation. Ideal for fracture bracing, immediate fitting of prosthetics and negative molding. Extra-Fast Setting.

12 ROLLS PER BOX	
Reference	Dimensions
DR-C12144-DZ	4" x 4 yards
DR-C12154-DZ	5" x 4 yards



CARAPACE® ORIGINAL FORMULA PLASTER BANDAGES

Rich creamy texture gives a smooth clean surface finish.

Low Exotherm: Sets quickly, while maintaining a safe, comfortable cast temperature.

Low Plaster Loss: Very low wet or dry plaster loss, for a creamy mold.

Intimate Moldability: Smooth, creamy texture molds to every crevice and contour for a perfect fit.



12 ROLLS PER BOX		
X-Fast	Fast	Dimensions
CAR7023	CAR8023	2" x 3 yards
CAR7033	CAR8033	3" x 3 yards
CAR7035	CAR8035	3" x 5 yards
CAR7045	CAR8045	4" x 5 yards
CAR7055	CAR8055	5" x 5 yards
CAR7065	CAR8065	6" x 5 yards
CAR7085	CAR8085	8" x 5 yards

CELLONA® PLASTER BANDAGE

Super creamy formula. Cellona's trademark thick and rich plaster rolls on easily and evenly. This plaster bandage conforms to every surface contour.


Maximum strength.

Clean consistency: Goes on thick and rich with minimal plaster loss and no messy drippings.

Perforated Core: Allows quick and thorough wet-out, eliminating dry spots. This core also prevents collapse or telescoping, especially in wider rolls.

Very low Exotherm:

Aids in patient comfort and safety.



12 ROLLS PER BOX, X-FAST	
Reference	Dimensions
CAR91380	2" x 3 yards
CAR91381	3" x 3 yards
CAR91382	4" X 3 yards
CAR91162	4" X 5 yards
CAR91163	5" X 5 yards
CAR91384	6" X 3 yards
CAR91164	6" X 5 yards
CAR91165	8" X 5 yards

CASTING SUPPLIES

CARAGLAS® ULTRA Synthetic Casting Bandages

Poly Bithane™ Resin offers a non-lubricant Tac control™ system. No need for special gloves. Patented perforated core enhances lamination and end lay-down. "Tuckless" end saves time and improves end lay-down. Easy open pouch has dual finger hole tear tab for easy opening.



10 ROLLS PER BOX, X-FAST

Color	Dimensions				
	1" x 2 Yards	2" x 4 yards	3" x 4 yards	4" x 4 yards	5" x 4 yards
Natural	CAR5012-N	CAR 5024-N	CAR 5034-N	CAR 5044-N	CAR 5054-N
Bright Pink	CAR5012-BP	CAR 5024-BP	CAR 5034-BP	CAR 5044-BP	CAR 5054-BP
Dark Blue	CAR5012-DB	CAR 5024-DB	CAR 5034-DB	CAR 5044-DB	CAR 5054-DB
Green	CAR5012-G	CAR 5024-G	CAR 5034-G	CAR 5044-G	CAR 5054-G
Orange	CAR5012-O	CAR 5024-O	CAR 5034-O	CAR 5044-O	CAR 5054-O
Purple	CAR5012-P	CAR 5024-P	CAR 5034-P	CAR 5044-P	CAR 5054-P
Red	CAR5012-R	CAR 5024-R	CAR 5034-R	CAR 5044-R	CAR 5054-R
Sky Blue	CAR5012-SB	CAR 5024-SB	CAR 5034-SB	CAR 5044-SB	CAR 5054-SB
Teal	CAR5012-T	CAR 5024-T	CAR 5034-T	CAR 5044-T	CAR 5054-T

DURACAST® Plaster Bandages & Splints

Duracast® plaster has the consistency, feel and easy-to-control characteristics of traditional plaster of Paris.

- Low Plaster loss
- Consistent wet out
- Early high green strength
- Long Term Durability
- Moisture Resistant Packaging



PLASTER SPLINTS - 50 PER BOX

X-Fast	Fast	Dimensions
CP-12315	CP-13315	3" x 15"
CP-12415	CP-13415	4" x 15"
CP-12530	CP-13530	5" x 30"
CP-12545	CP-13545	5" x 45"


PLASTER BANDAGES -12 ROLLS PER BOX

X-Fast	Fast	Dimensions
CP-12023	CAR13023	2" x 3 yards
CP-12033	CAR13033	3" x 3 yards
CP-12045	CAR13045	4" X 5 yards
CP-12055	CAR13055	5" X 5 yards
CP-12065	CAR13065	6" X 5 yards
CP-12085	CAR13085	8" X 5 yards

CASTING SUPPLIES

GYPSONA® PLASTER BANDAGES & SLABS

Extra fast setting. Sets in 2 minutes



Reference	Packing Unit	Dimensions
LPL23	72 Rolls/Case	2" x 3 YD
LPL33	72 Rolls/Case	3" x 3 YD
LPL43	72 Rolls/Case	4" x 3 YD
LPL63	72 Rolls/Case	6" x 3 YD
LPL83	48 Rolls/Case	8" x 3 YD
LPL45	72 Rolls/Case	4" x 5 YD
LPL65	48 Rolls/Case	6" x 5 YD
LPL85	48 Rolls/Case	8" x 5 YD
7198737	3 Rolls/Box	90 CM x 5.4 M

PLASTER BANDAGES

Designed for rapid wetting to provide excellent lamination and reduced preparation time. Consistent quality assures a uniform set time plus additional strength. The bright white plaster has a creamy texture for easy molding thus providing a smooth finish. The interlocking weave adheres the plaster better to the gauze; more plaster provides a stronger mold. The use of natural materials makes OCL® Plaster environmentally friendly.




12 ROLLS PER BOX		
X-Fast Set Time: 2-4 mins	Fast Set Time: 5-8 mins	Dimensions
41923X	41823X	2" X 3 yards
41933X	41833X	3" X 3 yards
41935X	41835X	3" X 5 yards
41945X	41845X	4" X 5 yards
41955X	41855X	5" X 5 yards
41965X	41865X	6" X 5 yards
41985X	41885X	8" X 5 yards

CASTING SUPPLIES

OCL® FLEXIBLE CASTING TAPE

- OCL Casting Tape remains semi-rigid and resilient, even in its cured state. It provides semi-rigid support of the limb, while allowing some degree of joint movement.
- Reverts to its cured shape after deformation and has soft, smooth edges for enhanced patient comfort.
- Made from a multi-directional stretch, knitted polyester fabric which conforms to body contours without folds or tucks and enables easy application.
- Easy to unroll and control during application, thus reducing application time. Tack-free properties allow easy molding without the need for special gloves.
- Porosity and moisture resistant properties allow the cast to breathe and dry out easily - decreasing body odors and skin maceration under the cast.




10 ROLLS PER BOX, WHITE COLOR

Reference	Dimensions
0291F	1" x 2 yards
0292F	2" x 4 yards
0293F	3" x 4 yards
0294F	4" x 4 yards
0295F	5" x 4 yards
0296F	6" x 4 yards

TUBULAR CASTING SOCKS

The original fibreglass molding sock is extremely easy, simple to apply. Completely portable, the STS system can be used for total contact casting and splinting. The molding sock has been designed for use in obtaining lower extremity impressions for molded AFO's, orthotic devices and residual limb impressions. It is the only molding sock that can be used for custom molded or orthopedic shoes.



ORDER BY THE UNIT

Reference	Size	Flat Measure Width	Length
STS-1001-RL	Medium	2.62"	17"
STS-1002-RL	Large	3"	17"
STS-1003-RL	XLarge	3.5"	17"

(*) Individually wrapped with 10 plastic baggies

(**) Includes: 3-Small, 4-Medium, 3-Large.

10 SOCKS PER BOX (*), 17" LENGTH

Reference	Size	Flat Measure Width	Length
STS-1000-BX	Small	2"	17"
STS-1001-BX	Medium	2.62"	17"
STS-1002-BX	Large	3"	17"
STS-1003-S-BX	X-Large	3.5"	17"
STS-REG-V-BX	(**)	(**)	17"

CASTING SUPPLIES

COMFORT ORTHOPEDIC FOOT CAST SOCK


Made for taking casts of the foot. Complete sock with reciprocated heel and toe. Ankle height with elastic top. 100% cotton. Double gore heel reduces stretch points in heel area. Excellent registration.



12 PER BOX						
Shoe Size						
	8	9	10	11	12	13
Ref.	C-FCS-8	C-FCS-9	C-FCS-10	C-FCS-11	C-FCS-12	C-FCS-13

SLIPPER SOCK

With the slipper sock and its ultra-fast setting resin, you can now obtain a superior foot mold without the plaster mess in **less than 2 minutes!** You can even cast directly over a woman's nylon hosiery. Reduces casting time for foot orthotics by 50%. No hassle with plaster dust from separating messy splinting material. Will not clog drains or get on you clothing, furniture or floor. The foot does not have to stay in the "neutral position" waiting for the plaster to harden. Saves time from having to clean patients as well as the room. No longer need to wait until the next day to ship or to worry about it being damaged in shipping. They come in four sizes, designed to cover a broad range of foot shapes and dimensions.



20 SOCKS PER BOX		
	Shoe Size	
Reference	Women	Men
STS-903-S-BX	5 - 6½	-
STS-903-M-BX	7 - 10	7 - 9
STS-903-L-BX	10½ - 12	9½ - 11½
STS-903-XL-BX	-	12 - 15

CASTING SUPPLIES

KNEE CASTING SLEEVE

Intended for use primarily in molding the leg, knee and thigh for the purpose of making an impression for fabrication of custom knee braces and lower extremity orthotic devices (KAFO). Application suitability should be the responsibility of qualified personnel. Consists of a stretchy, tubular, fibreglass knit impregnated with a water curable polyurethane resin. Exposure of the material to moisture or water initiates a chemical reaction that causes the tubular molding material to become rigid. Finished molds are strong, lightweight and replicate the limb extremely well.

Precautions: Protective latex examination or surgical gloves should be worn while handling the material. Care should be exercised to avoid contacting unprotected areas of the skin of the patient during application by using plastic wrap and a plastic bag.



5 SLEEVES PER BOX - With 5 baggies	
Reference	Size
STS-800-S-BX	Small
STS-800-L-BX	Large

ORDER BY THE UNIT - With baggy	
Reference	Size
STS-800-S	Small
STS-800-L	Large

CASTING SUPPLIES

SYNTHETIC TUBULAR SOCK (STS) IMPRESSION PRODUCTS

Designed to simplify and enhance impressions of the foot and ankle for custom molded shoes and orthotic devices. The foot shaped fitted polyester sock is impregnated with an improved water curable creamy resin. The glass smooth finished mold is ideally suited for standard custom shoe manufacturing as well as for CAD/CAM. The ankle sock is designed to facilitate application without wrinkling or contracture of the toes. Removal is made easy with a protective cutting strip and channel tubing (ordered separately - see below)



10 SOCKS PER BOX (*) - See accessories below

10 SOCKS PER BOX (*) - See accessories below					
				Shoe Size	
Sock Size	Ankle (3-4" above ankle bone)	Mid-Leg (mid calf)	Bermuda (knee high)	Women	Men
Small	STS-900-S-BX	STS-901-S-BX	-	4 - 5 ½	-
Medium	STS-900-M-BX	STS-901-M-BX	STS-902-M-BX	6 - 10½	6 - 9½
Large	STS-900-L-BX	STS-901-L-BX	STS-902-L-BX	11 - 12	10 - 11½
XLarge	STS-900-XL-BX	STS-901-XL-BX	STS-902-XL-BX	-	12 - 15

SYNTHETIC TUBULAR SOCK (STS) IMPRESSION PRODUCTS - ACCESSORIES


Reference	Description
SSM401	25-ft Wire
SSM402	Removal Key / Sawless Removal
STS1006	STS Removal Scissors
STS1010	12" Plastic protective cutting strip for ankle sock
STS1010-24	24" Plastic protective cutting strip for ankle sock
STS1008	Channel tube
STS1009	24" Length protective baggies (500/box)
STS1009-EA	24" Length protective baggies sold each
STS1009-36	36" Length protective baggies (500/box), for AFO Tubular Sock and Bermuda Casting Sock
VIDEOST	Instructional Video NTSC

(*) Comes with 10 Protective Baggies (STS-1009-EA) and instructions.

CASTING SUPPLIES

STOCKINETTE - COTTON, POLYESTER (SYNTHETIC), NYLON Cotton

- Makes a soft, comfortable liner under plaster casts.
- Best under plaster casts.
- Non sterile.



Polyester (Synthetic)

- Makes a soft, comfortable liner under casts.
- Perfect with fibreglass casting because of its fast drying properties.
- Non sterile.

Nylon

- Designed for everyday laminations.
- Strong nylon fibres add durability to a prosthesis and other orthopedic appliances.
- Non sterile.

ROLL SIZE: 25 YARDS, COLOR: WHITE			
Width	Cotton	Polyester	Nylon
1"	CS-COT-01	RX12001	CS-NYL-01
1 1/2"	CS-COT-015		
2"	CS-COT-02	RX12002	CS-NYL-02
2 1/2"	CS-COT-025	-	CS-NYL-025
3"	CS-COT-03	RX12003	CS-NYL-03
4"	CS-COT-04	RX12004	CS-NYL-04
5"	CS-COT-05	RX12005	CS-NYL-05
6"	CS-COT-06	RX12006	CS-NYL-06
8"	CS-COT-08	RX12008	CS-NYL-08
10"	CS-COT-10	RX12010	CS-NYL-10
12"	CS-COT-12	RX12012	CS-NYL-12

MULTI-SIZE® NYLON STOCKINETTE

- Non-run, will not run in either direction.
- Outstanding stretch and four sizes to accommodate most requirements.
- Smooth, uniform surface - Free of the corrugated effect.
- Ideal for the final layers of prosthetic and orthotic devices.
- Accepts flexible polyurethane and similar type coatings.

COLOR: WHITE, ROLL SIZE: 25 YARDS			
Reference	Flat Width	Min. Circ.	Max. Circ.
CS-MULT-SM	3"	4"	21"
CS-MULT-REG	4"	6"	25"
CS-MULT-LG	5"	7"	31"
CS-MULT-XLG	6"	10"	36"



CASTING SUPPLIES

STRETCH NYLON STOCKINETTE

100% stretch nylon. Smooth appearance, no ribs, no runs. Perfect in combination with Nyglass. Skin Tone serves as a good covering for modular prostheses and is an excellent choice in final laminations for patients with dark skin tones. Stretch nylon molds well to irregularly shaped limbs. 300% stretch capability.



Reference	Color	Width	Roll Size
RXSSNT8-9	Skin Tone	9 CM (3.5")	35½ yards
RXSSNT8-12	Skin Tone	12 CM (4.7")	25 yards
RXSSNT8-15	Skin Tone	15 CM (5.9")	22 yards
RXSSNT8-20	Skin Tone	20 CM (7.9")	21½ yards

NYLON FIBERGLASS STRETCH STOCKINETTE

70% FIBREGLASS, 30% NYLON, SOLD PER ROLL			
Reference	Size	Flat Width	Laminate Circumference
IP-0413	Small	4"	4" - 17 3/4"
IP-0867	Medium / Small	4¼"	6" - 21 5/8"
IP-0412	Medium	6¼"	7 7/8" - 27 9/16"
IP-0411	Large	7"	9 7/8" - 33 1/2"

NYLON STRETCH STOCKINETTE


100% NYLON, COLOR: WHITE, SOLD PER ROLL			
Reference	Size	Flat Width	Laminate Circumference
IP-0410	Small	4"	4" - 17 3/4"
IP-0866	Medium / Small	4¼"	6" - 21 5/8"
IP-0409	Medium	6¼"	7 7/8" - 27 9/16"
IP-0408	Large	7"	9 7/8" - 35 5/8"

CASTING SUPPLIES

PERLON

Great when used with Nyglass.

Provides an extra smooth appearance for final laminations. It is compatible with all types of resins and good for everyday socket laminations with easy saturation and no ribs or runs. 275% stretch. 100% Perlon.




Reference	Color	Width	Roll Size
RXPT3-6	White	6 CM (2.4")	30 yards
RXPT3-8	White	8 CM (3.1")	24 yards
RXPT3-10	White	10 CM (3.9")	20 yards
RXPT3-12	White	12 CM (4.7")	40½ yards
RXPT3-15	White	15 CM (5.9")	32 yards
RXPT3-20	White	20 CM (7.9")	24 yards

FLEXASTRETCH NYLON


Excellent for vacuum forming because it does not stick to thermoplastics. With its extra fine stitching, our unique fabric provides a smooth appearance on final laminations and is compatible with all types of resins. This 100% nylon material stretches up to 300% without any ribs or runs.

Reference	Color	Width	Roll Size
RX00103	White	3"	38 yards
RX00102	White	4"	28 yards
RX00101	White	5"	25 yards



NYGLASS STOCKINETTE

Combines the lightweight strength of fibreglass with the elasticity of nylon. Cost-saving choice for everyday sockets. A blend of 65% fibreglass and 35% stretch nylon works well with polyester and acrylic resins for a smooth appearance without any ribs or runs. Form fitting with 230% stretch.



Reference	Color	Width	Roll Size (Approx.)	Weight
CC-PNG-070	White	7 CM	55 yards	1KG
CC-PNG-090	White	9 CM	39 yards	1KG
CC-PNG-120	White	12 CM	30 yards	1KG
CC-PNG-150	White	15 CM	23½ yards	1KG
CC-PNG-200	White	20 CM	16 yards	1KG

CASTING SUPPLIES

SPECTRALON™

Two times lighter than carbon. 2½ times lighter than fibreglass. Permits use of standard pigmentation. Easy to handle to create thin walled layups. Good wet-out. Works well with all resins.



COLOR: WHITE			
	Roll Size		
Width	5 yards	15 yards	25 yards
2"	CS-SPECT-02-05	CS-SPECT-02-15	CS-SPECT-02-25
3"	CS-SPECT-03-05	CS-SPECT-03-15	CS-SPECT-03-25
4"	CS-SPECT-04-05	CS-SPECT-04-15	CS-SPECT-04-25
5"	CS-SPECT-05-05	CS-SPECT-05-15	CS-SPECT-05-25
6"	-	-	CS-SPECT-06-25

ARALON™

Hi-Strength Construction Stockinette

- Fatigue and impact resistance.
- Thermal stability with little change in dimension over normal temperature change.
- Stretches like regular stockinette.
- Over 40% stronger than fibreglass at almost half the weight.
- Compatible with all resins.

COLOR: WHITE, ROLL SIZE: 25 YARDS	
Reference	Width
CS-SA2	2"
CS-SA3	3"
CS-SA4	4"
CS-SA5	5"
CS-SA6	6"
CS-SA8	8"

(*) Non-stock item. Minimum order quantity required.

CASTING SUPPLIES

ACCUCAST™ STOCKINETTE

Cotton/Lycra® spandex casting stockinette is smooth and has 4-way stretch. Specifically knit for limb impressions. Has smooth surface. Requires less modification time. Provides more accurate impressions.



STOCKINETTE, 25-YARD ROLLS		
Reference	Width	Stretch Range Circumference
6SCLS1-25	1½"	2 - 5¼"
6SCLT2-25	2¾"	5" - 22"
6SCLR6-25	6¼"	11" - 46"
6SCL11-25	11½"	20" - 6"

CASTING SOCKS, 24 IN		
Reference	Width	Stretch Range Circumference
6SCST2-24	2¾"	5" - 22"
6SCSR6-24	6¼"	11" - 46"

CARBON FIBREGLASS STRETCH STOCKINETTE

50% CARBON, 50% FIBRE, SOLD PER ROLL			
Reference	Weight	Casting Circumference	Range
001017	500 g.	8" - 27 1/2"	7 7/8" - 27 9/16"
009505	500 g.	4" - 17 3/4"	4" - 17 3/4"
001016	100 g.	8" - 27 1/2"	7 7/8" - 27 9/16"
009506	100 g.	4" - 17 3/4"	4" - 17 3/4"

MODELSTOFT STRETCH STOCKINETTE

100% COTTON / RADIALLY RUNNING LATEX THREADS ROLL SIZE: 1KG			
Reference	Size	Flat Width	Range
IP-09250	Small	2 3/4"	5 1/2" - 9 11/16"
IP-09251	Medium	3 3/4"	7 7/8" - 23 5/8"
IP-09252	Large	4 1/4"	9 1/2" - 28 3/8"

CARBON KEVLAR

For use with Carbonacryl resin.

50% CARBON, 50% KEVLAR, 5-METER ROLL	
Reference	Width
005407	4"
005408	8"

CASTING SUPPLIES

WHITE TUBEGAUZ TUBULAR GAUZE

Knitted cotton bandage.



CAGE TUBEGAUZ APPLICATORS

Reference	Size	Inside Diameter	Tubegauz Size
ACM52911	D	1 7/8"	12
ACM52913	E	3 5/8"	34

FOR USE WITH APPLICATOR

Reference	Width	Size
682010	1"	12
ALI-4339	1 1/2"	34
ALI-4736	2 5/8"	56
ALI-4738	3 5/8"	78
ALI-4740	5"	T-1
682060	7"	T-2

FOR USE WITHOUT APPLICATOR

Reference	Width	Size
684388	5/8"	1
684392	7/8"	2
684400	1 1/2"	3
684405	2"	5
684972	1 1/2"	4, Closeweave
684404	2"	5, Beige

NYLON HOSE (SECONDS)

White hose for vacuum-forming. Available treated with release agent or untreated.

NYLON HOSE

Ref.: FL-199905
Ref.: FL-199906(*)

Regular non-stick, with toe
Small, non-stick, with toe

3 lbs/bag
3 lbs/bag

100 PER BOX

Reference	Treated
199905	YES
199901	NO



(*) Not kept in stock. Minimum order quantity required