

CARVERS AND TOOLS


TRAUTMAN FLOOR CARVERS

- Low maintenance
- No brushes to change
- Lubrication lasts 10 years with normal use
- Durable 1/2 HP Motor
- Built-in thermal protectors eliminate remote heater coils subject to nuisance tripping.

Ref.: PEL-2100-50	Single Speed, 50Hz
Ref.: MIN-2100-60	Single Speed, 60Hz
Ref.: MIN-2200-60	Dual Speed, 60Hz
Ref.: MIN-2300-60	Variable Speed, 60Hz, with pre-attached work light

Replacement Parts:

Ref.: PEL-R2000M-1	Motor Single Speed for Trautman
Ref.: PEL-R2000P-1	Switch for 2100-60
Ref.: PEL-R2000M-2	Motor Dual Speed for Trautman
Ref.: PEL-R2000P-2	Switch for 2200-60



TRAUTMAN BENCH CARVER


Complete with a durable 1/4H.P., 115 volt, AC 60Hz 3,400 RPM single speed brushless motor this versatile, lightweight Carver also features automatic thermal overload, adjustable height and tilt, a tool shaft extension of 10", and Trautman position locks. Can be bench or vise mounted with base predrilled for 1/4" hold-down bolts.

Ref.: MIN-2500-60

TRAUTMAN ARBOR

The 5001 Trautman Arbor has a powerful 2 HP, 1725 RPM, single phase 115/230 VAC motor. The Trautman Arbor comes with industrial motor control and drive belts with safety guard. Also, a 14" disc, 6" tapered drum and 1/2 x 13 threaded end to accept Trautman accessories. The total length is 47".

Ref.: PEL-5001





CARVERS AND TOOLS

DOUBLE DRUM SANDER

The Trautman 5005 DD Sander comes with a powerful 2 HP, 1725 RPM, 1 phase 115/230 motor. Comes with industrial motor control and drive belts with safety guard. This machine has two 6" tapered drums. the total length is 45" Convenient sanding positions for greater work capacity.

Ref.: PEL-5005



AIR ATTACHMENT



The air attachment directs an adjustable air stream to blow dust and chips from the cutting tool. Standard 1/4" pipe fitting to be attached to the air supply.

Ref.: MIN-2100J

FOOT SWITCH FOR TRAUTMAN

The foot switch allows hands-free stop and start operations for extra safety, convenience and efficiency.

Ref.: MIN-2100K



DUST COLLECTOR ATTACHMENT FOR TRAUTMAN

- Infinitely adjustable
- Steel construction
- 4" exhaust for connection to vacuum system

Ref.: PEL-2100L

CARVERS AND TOOLS

MICA CLASSIC ROUTER

- Single speed, AC Motor
- Durable, economical, shop quality
- 2-Bearing motor/shaft system
- 1/2" - 13 end thread
- 3600 rpm shaft speed
- Bench mount or adaptable to MICA vise.



Reference	Power	Weight	Shaft
MIC1001	1/2 HP	50 lbs	12" x 3/4" Diameter steel Shaft
MIC1007	1/3 HP	25 lbs	11" x 3/4" Diameter steel Shaft



MICA CLASSIC ROUTER ADAPTER


- Steel construction for everyday use
- Adjustable tilt for easy finishing
- Adapts the Classic Router for mounting in the MICA vise

Weight: 9 lbs

Ref.: MIC1002

SANDING DRUMS

Reference	Description
PEL-2100FF	Cylinder Shape, Small 2¼" O.D. x 2½ long
PEL-2100F	Barrel Shape, Small 2¼" O.D. x 2½ long
PEL-2100G	Barrel Shape, Large 2¾" O.D. x 3" long



REPLACEMENT PARTS

Description	PEL-2100FF	PEL-2100F	PEL-2100G
Clamp	PEL-2100FF-CL	PEL-2100F-CL	PEL-2100G-CL
Screw	PEL-2100FF-SC	PEL-2100F-SC	PEL-2100G-SC
Pad	PEL-2100FF-P	PEL-2100F-P	PEL-2100G-P
Stamped Drum Sheet 120X	PEL-F120	PEL-F120	PEL-G120
Stamped Drum Sheet 60X	PEL-F60	PEL-F60	PEL-F60

CARVERS AND TOOLS

CUTTERS

Reference	Size	Number Blades
PEL-2100H	Midget	1
PEL-2100A	Small	2
PEL-2100B	Large	2



Replacement Parts

Reference	Description	UNIT
PEL-2100HB	Blade, Midget	1
PEL-2100AB	Blade, Small	2
PEL-2100BB	Blade, Large	2
PEL-2100AS	Screws for small cutter	1

RASP

Ref.: MIN-2100E




CARVER ATTACHMENTS

RUBBER ARBOR

Reference	Size	Length	Large end Diameter	Small end Diameter
AC-T8000P	Mini	4 1/8"	13/16"	5/8"
AC-T8000D	Small	4 1/8"	1-1/4"	1"
AC-T8000C	Large	4 1/8"	1 15/16"	1 3/8"



SANDING CONES




Reference	Arbor Size	Grit
AC-T8010P50	Mini	50X
AC-T8010P80	Mini	80X
AC-T8010P100	Mini	100X
AC-T8010P180	Mini	180X
AC-T8010D36	Small	36X
AC-T8010D80	Small	80X
AC-T8010D100	Small	100X
AC-T8010C36	Large	36X
AC-T8010C80	Large	80X
AC-T8010C100	Large	100X

NON-WOVEN POLISHING CONE

Fits on AC-T8000C large adapter, AC-T8000D small adapter, AC-T8000P mini adapter for Trautman Rubber Mandrel. Use for buffing thermoplastic edges and laminations. Can be used on metal (stainless or aluminum).

Coarseness is color coded into material:
 Fine-Blue, Medium-Maroon, and Coarse-Brown.




Adapter Size	Coarseness		
	Fine (Green)	Medium (Maroon)	Coarse (Brown)
Large	AC-T8020C100	AC-T8020C080	AC-T8020C040
Small	AC-T8020D100	AC-T8020D080	AC-T8020D040
Mini	AC-T8020P100	AC-T8020P080	AC-T8020P040

CARVER ATTACHMENTS

FELT ARBORS


May be formed to any contour. Used for polishing edges of plastic laminates.

	Size		
Thread	3" x 4"	2 1/2" x 4"	2" x 3"
1/2"	AC-T8004C	AC-T8004D	AC-T8004P
5/8"	AC-T8005C	AC-T8005D	AC-T8005P



TAPERED FELT ARBORS


Use with replaceable sanding cones.



	Size		
Thread	1" x 4"	1 1/2" x 4"	2" x 4"
1/2"	AC-T8002P	AC-T8002D	AC-T8002C
5/8"	-	AC-T8003D	AC-T8003C


URETHANE ARBOR

Superior gripping power for both sanding and polishing.



	Size		
Thread	1" x 4" (Green)	1 1/2" x 4" (Blue)	2" x 4" (Red)
1/2"	AC-T8001P	AC-T8001D	AC-T8001C


POLISHING ARBOR



	Size (Diameter x Length)	
Thread	45MM x 70MM	65MM x 90 MM
5/8"	AC-T8006D	AC-T8006C

SANDING CONES, REPLACEABLE

To be used with tapered felt arbours.



Reference	Size	Grit
AC-T8011P080	1" x 4"	80
AC-T8011P120	1" x 4"	120
AC-T8011D036	1 1/2" x 4"	36
AC-T8011D100	1 1/2" x 4"	100
AC-T8011D120	1 1/2" x 4"	120
AC-T8011C036	2" x 4"	36
AC-T8011C080	2" x 4"	80

CARVER ATTACHMENTS

POLICAP® COATED ABRASIVES




Expanding Rubber Heads and Seamless Abrasive Caps

For finishing or polishing hard to reach surfaces or recessed areas. Almost unlimited use of awkward areas and deep cavities that need finishing. Seamless POLICAP® abrasive caps are mounted onto rubber heads. The slotted holder is designed to lock the cap firmly in place using centrifugal force. Seamless abrasive caps:

60 grit - Brown, 150 grit - Black, 280 grit - Red

Ref.: T-PCS285 Policap® Sets
 Ref.: PEL-400 Arbor Adapter for Router 1/2-13 Thread
 Ref.: PEL-500 Arbor Adapter for Router 1/2-13 x 3/8-16 Thread

Includes 285 pieces in various sizes, shapes and grits, and 15 matching expanding rubber heads as shown below:



Expanding Rubber Heads, ONE OF EACH	
Reference	Diameter x Head Height
Shape A	
T-PCT0510A	3/16" x 3/8"
T-PCT0712A	9/32" x 1/2"
T-PCT1015A	3/8" x 5/8"
T-PCT1317A	1/2" x 11/16"
T-PCT1626A	5/8" x 1"
Shape C	
T-PCT0511C	3/16" x 3/8"
T-PCT0713C	9/32" x 1/2"
T-PCT1015C	3/8" x 5/8"
T-PCT1317C	1/2" x 11/16"
T-PCT1626C	5/8" x 1"
Shape G	
T-PCT0511G	3/16" x 3/8"
T-PCT0713G	9/32" x 1/2"
T-PCT1015G	3/8" x 5/8"
T-PCT1317G	1/2" x 11/16"
T-PCT1626G	5/8" x 1"

Seamless Abrasive Caps, FIVE OF EACH		
60 grit	150 grit	280 grit
Shape A		
T-PC05A-60	T-PC05A-150	T-PC05A-280
T-PC07A-60	T-PC07A-150	T-PC07A-280
T-PC10A-60	T-PC10A-150	T-PC10A-180
T-PC13A-60	T-PC13A-150	T-PC13A-180
T-PC16A-60	T-PC16A-150	T-PC16A-180
Shape C		
T-PC05C-60	T-PC05C-150	T-PC05C-180
T-PC07C-60	T-PC07C-150	T-PC07C-180
T-PC10C-60	T-PC10C-150	T-PC10C-180
T-PC13C-60	T-PC13C-150	T-PC13C-180
T-PC16C-60	T-PC16C-150	T-PC16C-180
Shape G		
T-PC05G-60	T-PC05G-150	T-PC05G-180
T-PC07G-60	T-PC07G-150	T-PC07G-180
T-PC10G-60	T-PC10G-150	T-PC10G-180
T-PC13G-60	T-PC13G-150	T-PC13G-180
T-PC16G-60	T-PC16G-150	T-PC16G-180